

SINCE 2005

The Symbol Of Trust ® ©

flowTECH

Pumps

(AHMEDABAD)



Pump With Pride



www.flowtechpump.in

ISO
9001:2015
CERTIFIED COMPANY

PLATINA & POWER GOLD SERIES...



GOLD 2CI (ROUND)



PLATINA-2CI (RIB)



POWER GOLD (RIB)



PLATINA-2CI (ROUND)

Range : 0.5 HP
 Type : Self priming Pump.
 Pipe size : 15x15 mm ,25x25 mm.
 Rpm : 2800 rpm.
 Head : up to 37 mtr.
 Suction : upto 8 mtr.
 Discharge : upto 40 lpm.
 Power supply : Single Phase

SPARK SERIES...

Range : 0.5 HP, 1 HP
 Type : Self priming Pump.
 Pipe size : 25x25 mm.
 Rpm : 2800 rpm.
 Head : up to 45 mtr.
 Suction : upto 6 mtr.
 Discharge : upto 50 lpm.
 Power supply : Single Phase



SPARK - 110



SPARK - 80



SPARK - 150

POWER GOLD CI SERIES...



POWER PLUS - 1 (ROUND)



POWER GOLD - 1 (RIB)

Range : 0.75 HP, 1 HP
 Type : Self priming Pump.
 Pipe size : 25x25 mm.
 Rpm : 2800 rpm.
 Head : up to 30 mtr.
 Suction : upto 8 mtr.
 Discharge : upto 25 lpm.
 Power supply : Single Phase

DELUXE & V TYPE SERIES...

Range : 1 HP, 0.5 HP
 Type : Self priming Pump.
 Pipe size : 25x25 mm.
 Rpm : 2800 rpm.
 Head : up to 50 mtr.
 Suction : upto 8 mtr.
 Discharge : upto 55 lpm.
 Power supply : Single & Three Phase



DELUXE-90



V-TYPE



TEXMO



DELUXE-100 CI



DELUXE-90

FTP OPENWELL SINGLE PHASE



FTP INDIGO 0.5



FTP EECO 0.5



FTP SILVER 0.5

Range : 0.5 HP
 Type : Openwell Submersible Pump.
 Del. Pipe size : 25 mm.
 Rpm : 2800 rpm.
 Head : up to 20 mtr.
 Discharge : up to 225 lpm.
 Power supply : Single Phase

Available in Copper / aluminium Rotor

FTP SILVER SERIES... SINGLE PHASE

Range : 1 HP TO 5 HP
 Type : Openwell Submersible Pump.
 Del. Pipe size : 25, 40 mm
 Rpm : 2800 rpm.
 Head : up to 30 mtr.
 Discharge : up to 300 lpm.
 Power supply : Single Phase

Available in Copper / aluminium Rotor



FTP SILVER COPPER



FTP SILVER 1.0

FTP V7, V8, V9 SERIES... SINGLE & THREE PHASE



**FTP V9 3 to 20
CI BODY**



**FTP V8 3 to 7.5
CI BODY**



**FTP V7 2 to 5
SS BODY**

Range : 1.5 HP, 15 HP
 Type : Openwell Submersible Pump.
 Del. Pipe size : 50, 65, 75 mm 100
 Rpm : 2800 rpm.
 Head : up to 50 mtr.
 Discharge : up to 4000 lpm.
 Power supply : Three Phase

**Available in Copper / aluminium Rotor
 Also Available in Economy Range & Low voltage Design.**

CENTRIFUGAL SERIES...

Range : 0.5 HP, To 7.5 HP.
 Type : Centrifugal Monoblock Pump.
 Pipe size : 25, 40, 50, 65, 75, 80, 100 mm
 Rpm : 2800 rpm.
 Head : up to 60 mtr.
 Discharge : upto 1500 lpm.
 Power supply : Single & Three Phase



**CF - 1 To 5
SINGLE PHASE**



**CF - 2 To 5
THREE PHASE**

V3, V4, V5, V6, V8 SUBMERSIBLE SERIES...



SUBMERSIBLE PUMPS
SINGLE & THREE PHASE



V4 SUBMERSIBLE PUMPS
SINGLE & THREE PHASE



VERTICAL OPENWELL
SUBMERSIBLE PUMPSET


Range : 0.5 HP To 50 HP
Type : Vertical Submersible Pump.
Del. Pipe size : 25, 32, 40, 50 mm.
Rpm : 2800 rpm.
Head : up to 200 mtr.
Discharge : upto 350 lpm.
Power supply : Single & Three Phase

Available in Copper / aluminium Rotor


Our Other Products



ELECTRIC MOTOR
SINGLE & THREE PHASE



PP MONOBLOCK
PUMP



BOILER PUMP



SS MONOBLOCK
PUMP



SS CENTRIFUGAL
PUMP



SEWAGE MUD
PUMP



MUD PUMP



PRESSURE PUMP



MULTI STAGE
PRESSURE PUMP



COOLANT PUMP



DAIRY PUMP

WOODEN FIRE & GAS GEYSER



RANGE UP To 40 To 2000 Ltr

FTH AIR BLOWER

Capacity : 2.3m³/min
Voltage : 230v
Power Input : 750w
No-Load Speed : 13000 rpm
Weight : 1.5kg.



TCH AIR BLOWER

Capacity : 2.3m³/min
Voltage : 230v
Power Input : 650w
No-Load Speed : 10000 rpm
Weight : 1.5kg.



WE ARE ALSO PROVIDER ALL TYPES OF CHEMICAL & INDUSTRIAL PUMPS

